535

AD-A203



CHEMICAL
RESEARCH,
-DEVELOPMENT &ENGINEERING
CENTER

CRDEC-TR-88143

# THE ACUTE, AQUATIC TOXICITY OF SELECTED MINERAL PARTICLES

Dennis W. Johnson Wayne G. Landis

RESEARCH DIRECTORATE

November 1988





Aberdeen Proving Ground, Maryland 21010-5423

# Disclaimer

The findings in this report are not to be construed as an official Department of the Army position unless so designated by other authorizing documents.

# Distribution Statement

Approved for public release; distribution is unlimited.

SECURITY CLASSIFICATION OF THIS PAGE		<del></del>	<del></del>	<del></del>	·
REPORT DOCUMENTATION PAGE					
1a REPORT SECURITY CLASSIFICATION		16 RESTRICTIVE	MARKINGS		
UNCLASSIFIED		) DISTRIBUTION	AVAILABILITY OF	. 000001	
2a SECURITY CLASSIFICATION AUTHORITY		3 DISTRIBUTION AVAILABILITY OF REPORT			
2b. DECLASSIFICATION / DOWNGRADING SCHEDU	LE	Approved for public release; distribution is unlimited.			
4 PERFORMING ORGANIZATION REPORT NUMBE	R(S)	5 MONITORING	ORGANIZATION RI	EPORT NUMBER	5)
CRDEC-TR-88143					
64 NAME OF PERFORMING ORGANIZATION	6b OFFICE SYMBOL (If applicable)	7a. NAME OF MONITORING ORGANIZATION		<u> </u>	
CRDEC	SMCCR-RSB				
6c. ADDRESS (City, State, and ZIP Code)		7b ADDRESS (City, State, and ZIP Code)			
		Ì			
Aberdeen Proving Ground, MD 2	1010-5423				
8a. NAME OF FUNDING/SPONSORING ORGANIZATION	8b. OFFICE SYMBOL (If applicable)	9. PROCUREMENT	INSTRUMENT IDE	ENTIFICATION N	JMBER
CRDEC	SMCCR-RSB				
Bc. ADDRESS (City, State, and ZIP Code)		10 SOURCE OF F	UNDING NUMBER	S	
		PROGRAM ELEMENT NO	PROJECT NO	TASK NO.	WORK UNIT ACCESSION NO
Aberdeen Proving Ground, MD 2	1010-5423		1L161611	A552	
11 TITLE (Include Security Classification)		·			
The Acute, Aquatic Toxicity of Selected Mineral Particles					
12 PERSONAL AUTHOR(S) Johnson, Dennis W., and Landis, Wayne G.					
13a. TYPE OF REPORT 13b. TIME COVERED 14 DATE OF REPORT (Year, Month, Day) 15 PAGE COUNT Technical FROM 85 Sep to 86 Oct 1988 November 13			_		
16 SUPPLEMENTARY NOTATION					
17 COSATI CODES 18. SUBJECT TERMS (CO		Continue on reverse if necessary and identify by block number)			
FIELD GROUP SUB-GROUP Graphite		Daphnia magna			
06 11 Nickel-Graphite Ankistrodemus falcatus Bioassay :					
19 ABSTRACT (Continue on reverse if necessary and identify by block number)					
Graphite fibers, nickel-graphite fibers, polycrystalline iron whiskers, and graphite Micro-260 (M-260) were tested to determine their toxicities to Daphnia magna. The graphite fibers and nickel-graphite fibers were ground with a mortar and postle before testing. The M-260 had an EC50 of 80.6 mg/L for four pooled replicates. None of the other compounds caused any deaths at concentrations up to 100 mg/L. All the bioassays were 48-hr acute studies. A 96-hr growth inhibition assay using Ankistrodesmus falcatus was performed with the graphite. No inhibition of A. falcatus was observed; however, the growth of the alga was enhanced by the two lowest test concentrations					
■ UNCLASSIFIED/UNLIMITED  ■ SAME AS R  ■ Control of the contr	UNCLASSIFIE	<b>I</b> D		·	
22. NAME OF RESPONSIBLE INDIVIDUAL SANDRA J. JOHNSON		(301) 671-2		SMCCR-S	

UNCLASSIFIED			
SECURITY CLASSIFICATION OF THIS PAGE		<del>,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,,</del>	
·			
			!
·			
}			
			i

## **PREFACE**

The work described in this report was authorized under Project No. 1L161611A552, Smoke/Obscurant Munitions. The work began in September 1985 and was completed in October 1986.

The use of trade names or manufacturers' names in this report does not constitute an official endorsement of any commercial products. This report may not be cited for purposes of advertisement.

Reproduction of this document in whole or in part is prohibited except with permission of the Commander, U.S. Army Chemical Research, Development and Engineering Center, ATTN: SMCCR-SPS-T, Aberdeen Proving Ground, Maryland 21010-5423. However, the Defense Technical Information Center and the National Technical Information Service are authorized to reproduce the document for U.S. Government purposes.

This report has been approved for release to the public.



sion I	or	
GRA&I		W
TAB		
o.mceg	ì	
ficati	o <b>n</b>	
ibutio	<b>n/</b>	
labili	ty Co	odes
Avail	and/	or
Spec	ial	,
	1	
	l	
	GRA&I TAB ounced ficati ibutio labili Avail	sion For  GRA&I  TAB  cunced rication  ibution/ lability Co  Avail and/ Special

Blank

# CONTENTS

		Page
1.	INTRODUCTION	7
2.	METHODS AND MATERIALS	7
3	RESULTS	8
4.	DISCUSSION	10
5.	CONCLUSION	11
	LITERATURE CITED	13

Blank

#### 1. INTRODUCTION

Several mineral particles have been tested to determine their acute, aquatic toxicities. The tested particles were graphite fibers, polycrystalline iron whiskers, nickel-graphite fibers, and synthetic graphite Micro-260 (M-260). Each compound was tested against the cladoceran, <u>Daphnia magna (D. Magna)</u>; in addition, particles derived from the graphite fibers were tested using the algal species, <u>Ankistrodesmus falcatus</u> (A. falcatus).

## 2. METHODS AND MATERIALS

The graphite and nickel-graphite fibers were obtained from the American Cyanamid Company (Wayne, NJ). Polycrystalline iron whiskers were supplied by HDS Fibers, Incorporated (Charlottesville, VA). Graphite M-260 was supplied by The Asbury Graphite Mills, Incorporated (Asbury, NJ).

Because none of the compounds was soluble in water, mechanical methods were used to make uniform suspensions. graphite and nickel-graphite fibers were ground to a fine powder consistency with a mortar and pestle and placed in a small polycarbonate tube. Diluent was added to the tube, and a suspension was created by placing the capped tube in an ultrasonic The polycrystalline iron whiskers were not ground but simply placed in a small volumetric flask with diluent. flask was then immersed in an ultrasonic water bath until the fibers were separated. The mixture was swirled to create a suspension. Because it was already a powdery compound, the M-260 was added to diluent in a polycarbonate tube and placed in the ultrasonic water bath. The studies were conducted with serial dilutions of the stock suspensions. All the tests performed conformed to the current guidelines of the American Society of Testing and Materials. 1

First instar <u>D. magna</u>, reared from at least third-generation adults, were cultured as described by Goulden et al. <sup>2</sup> Ten neonates were placed in each 250-mL glass beaker containing 100 mL of sample. Two replicates of each concentration were used in every test performed. The diluent was public drinking water that had been passed through particulate filters, aged for at least 48 hr, autoclaved, aerated, and hardened with vitamins added. <sup>4</sup> A 20  $\pm$  1 <sup>O</sup>C temperature and 16:8 hr light-dark cycle

were employed throughout testing. Water hardness of the diluent was in the range of 125-140 ppm calcium carbonate.

Algal growth inhibition tests were performed to determine the IC<sub>50</sub> (concentration that inhibits growth 50% as compared to control) of the graphite particles using the microalga, A. falcatus. The alga was obtained from Carolina Biological Supply Company (Burlington, NC) and maintained on 1% Difco-Bacto agar slants. Cells were transferred via sterile inoculation to a semiflow-through apparatus containing T83MV culture medium with vitamins added. Test chambers were 500-mL Ehrlenmeyer flasks with ground glass stoppers. Serial dilutions of the suspended graphite fibers (prepared in T83MV medium by the technique described above) were added to the Ehrlenmeyer flasks along with the test organism at a concentration of approximately  $3.0 \times 10^4$  cells/mL for a total volume of 100 mL. Three replicates of controls and the varying test concentrations were used. Test suspensions were incubated at 20.0  $\pm$  1.0 °C with a 12:12 light/dark cycle. The concentrations tested were 0.01, 0.1, 10.0, and 100.0 mg/L.

## 3. RESULTS

EC $_{50}$  was not calculated for the synthetic graphite, nickel-graphite, or the polycrystalline iron whiskers because no deaths had occurred at any concentration tested. The highest concentration tested for the graphite and nickel-graphite formulations was 100 mg/L, while the highest concentration of iron whiskers was 250 mg/L. The four replicate tests of the M-260 graphite yielded a pooled EC $_{50}$  of 80.6 mg/L. The results of the separate replicates and pooled value, as determined by a probit analysis program [Communication, with C.E. Stephan, U.S. Environmental Protection Agency (USEPA), Duluth, MN] are shown in the Table.

The growth of  $\underline{A}$ . <u>falcatus</u> was not inhibited by any of the concentrations of the graphite tested. The analysis of variance, assuming equal variances, did show a significant (p < 0.05) enhancement of growth at test concentrations of 0.01 and 0.1 mg/L (Figure).

Table.  $EC_{50}$  Calculations for <u>D</u>. <u>magna</u> Exposed to Graphite Micro-260.

Replicate	EC <sub>50</sub> (mg/L)
1	90.8 (46.9-271.2)
2	105.3 (0-infinity)
3	61.4 (35.3-105.9)
4	85.2 (54.1-151.1)
All pooled	80.6




Figure. Enhancement of  $\underline{A}$ . <u>falcatus</u> by the Addition of Graphite.

#### 4. DISCUSSION

Because graphite is primarily carbon, a high toxicity was not anticipated. Mechanical damage from possible ingestion of the particles was not expected to result in significant toxicity based on prior experimentation with similarly prepared suspensions of silica and titanium dioxide. Also, the particle size obtained by the grinding process was not small enough to allow the particles to remain in suspension for more than a few minutes. M-260 did remain in suspension for a longer time. increased availability of the test material for the daphnids may have contributed to its higher toxicity. Another factor could have been the presence of contaminants such as iron in the M-260. Iron was found in the compound when a proton-induced x-ray emission (PIXE) analysis was performed (Communication, G.M. Thomson, U.S. Army Ballistic Research Laboratory, Aberdeen Proving Ground, MD). No comparisons can be made because no PIXE analysis was performed on any of the other compounds.

The enhancement of the growth of <u>A</u>. <u>falcatus</u> at low concentrations may indicate that the compound is providing additional nutrients. This suggests that the graphite could contribute to eutrophication of a water system when available at very low concentrations. This conclusion was supported by data obtained from a Standardized Aquatic Microcosm experiment using the M-260 and conducted after these acute studies. 6

Comparisons of the toxicities of these compounds and the brass particles previously tested revealed that all the formulations tested in this study were much less toxic than the brass. The brass exhibited  $EC_{50}$  values of 17.7-30.9  $\mu$ g/L when tested with daphnids, three orders of magnitude greater than the M-260. Similarly, brass was also toxic to A. falcatus (IC<sub>50</sub> = 0.316 mg/L), whereas the graphite displayed no toxicity at concentrations up to 100.0 mg/L.

A previously tested aluminum compound caused no growth inhibition of  $\underline{A}$ .  $\underline{falcatus}$  at concentrations up to 100.0 mg/L. The toxicity to daphnids was not as well-defined but was within the same order of magnitude as the M-260 [Communication, M.V. Haley, U.S. Army Chemical Research, Development and Engineering Center (CRDEC), Aberdeen Proving Ground, MD].

# 5. CONCLUSION

Particles derived from the graphite and nickle-graphite fibers, as well as the polycrystalline iron whiskers, showed no acute toxicity to <u>D</u>. <u>magna</u> at concentrations below 100.0 mg/L. The graphite fiber particles did not inhibit growth of the algal species tested. These compounds would be assigned a score of 1 to 3 according to a draft scoring criteria for aquatic toxicity published by USEPA. The scoring is on a scale from 0 to 9 with a score of 9 being most toxic. A score between 4 and 5 would be assigned to the M-260 based on the daphnid data. In comparison, the brass discussed above would be assigned a score of 9 for both daphnids and algae. The data suggests that use of the compounds tested under this project would pose much less risk to the environment than brass when used with appropriate concern and control.

Blank

#### LITERATURE CITED

- 1. <u>Guide for Conducting Acute Toxicity Tests with Fishes, Macroinvertebrates, and Amphibians</u>, Standard E729, American Society for Testing and Materials, Philadelphia, PA, 1986.
- 2. Goulden, C.E., Comotto, R.M., Hendrickson, J.A., Jr., Hornig, L.L., and Johnson, K.L., "Procedures and Recommendations for the Culture and Use of Daphnia in Bioassay Studies," Am. Soc. Testing and Materials Special Technical Publication Vol. 766, pp 139-160 (1982).
- 3. Standard Methods for the Examination of Water and Wastewater, 15th ed., American Public Health Association, American Water Works Association, Water Pollution Control Federation, New York, NY, 1980.
- 4. Taub, F.L., and Read, P.L., <u>Standardized Aquatic Microcosm Protocol</u> Vol. II, Contract No. 223-80-2352, United States Food and Drug Administration, Washington, DC, 1983.
- 5. Johnson, D.W., Haley, M.V., Hart, G.S., Muse, W.T., and Landis, W.G., "Acute Toxicity of Brass Particles to <u>Daphnia</u> magna," <u>J. Applied Tox</u>. Vol. 6, pp 225-228 (1986).
- 6. Landis, W.G., Chester, N.A., Haley, M.V., Johnson, D.W., and Tauber, R.M., Evaluation of Graphite for Environmental Toxicity Using the Standard Aquatic Microcosm, CRDEC-TR-88133, U.S. Army Chemical Research, Development and Engineering Center, Aberdeen Proving Ground, MD, July 1988, UNCLASSIFIED Report.
- 7. Haley, M.V., Johnson, D.W., Hart, G.S., Muse, W.T., and Landis, W.G., "The Toxicity of Brass Dust to the Microalgae Ankistrodesmus falcatus and Selenastrum capricornutum,"

  J. Applied Tox. Vol. 6(4), pp 281-285 (1986).
- 8. O'Bryan, T., and Ross, R., Chemical Scoring System for Hazard and Exposure Assessment, U.S. Environmental Protection Agency, Washington, DC, March 1986.